Single-fiber Port Cleaner

OptiTap® connectors

CORNING

Corning single-fiber port cleaners are designed to clean connector end faces in patch panels and adapters. An integrated dust cap allows for cleaning unmated connector end faces. Single-fiber port cleaners are proven effective for removing the following from connector end faces: skin oil, hand lotion, Arizona road dust, pre- and post-mate graphite, salt, isopropyl alcohol residue and distilled water residue. These cleaners are easy to use and offer over 525 cleanings.

Features and Benefits

Cleaning system rotates 180 degrees

Provides a full cleaning of the connector end face

Extendable tip Allows for cleaning in hard-to-reach spaces

Cleaning fibers dissipate static Addresses any electrostatic discharge (ESD) concerns

Numerous engagements Offers over 525 cleanings



Specifications

| General Specifications | |
|------------------------|----------------------|
| Product Type | Accessories |
| Packaging | Individual Packaging |

| Chemical Characteristics | |
|--------------------------|---|
| RoHS | Free of hazardous substances according to RoHS 2002/95/ EG |

Ordering Information

| Part Number | CLEANER-PORT-OTAP |
|---------------------|--|
| Product Description | Single-fiber port cleaner for OptiTap® connector end-faces |
| Weight | 0.05 kg (0.1 lb) |



Single-fiber Port Cleaner

OptiTap® connectors

Shipping Information

Units per Delivery

1/1



Corning Optical Communications LLC • PO Box 489 • Hickory, NC 28603-0489 USA 800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks. All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2015 Corning Optical Communications. All rights reserved.



CORNING