

Data sheet

DCCS2 subassembly OM3 6xMPO aqua

Page 1/4


P/N
130D2FBM5A-E
EAN 4250184195511

2018-13-03

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- 6 port MPO subassembly for 10 / 40 / 100 MBit/s
- 6x MPO adapters Key up / Key down
- with optional strain relief
- fastening in a 19-inch subrack by a knurled screw
- easy mounting/dismounting to/from 19-inch subracks in 19-inch cabinets (plug and play)
- design: DCCS2
- variants: violet (OM4), aqua (OM3), green (OS2 APC)

DCCS2 subassembly OM3 6xMPO aqua

P/N
130D2FBM5A-E
EAN 4250184195511

2018-13-03

Technical Data

General Data

Fields of application	Structured building cabling, Office Data center
Design	Subassembly
Mounting style	DCCS
Transmission technology	Fiber optic
Color	aqua
Dimensions	
Dimension (L x W x H)	211.00 x 53.00 x 40.00 mm
Dimension (L x W x H)	8.307 x 2.087 x 1.575 in.
Weight	147.00 g
Weight	0.32 lb
Fiber class	OM3: ISO/IEC 11801/EN 50173 & IEC 60793-2-10/EN 60793-2-10 A1.a.2
Mode type of the fiber	Multimode
Fiber construction	50/125 µm

Connections/interfaces

Connector technology interface 1	MPO-Adapter Key up / Key down
Connector technology interface 2	MPO-Adapter Key up / Key down
Number of ports interface 1	6
Number of ports interface 2	6
Number of equipped ports interface 1	6
Number of equipped ports interface 2	6
Number of ports with dust protection interface 1	6
Number of ports with dust protection interface 2	6

Mechanical characteristics

Cut-out	DCCS2
Life - Number of mating cycles	min. 500
strain relief	optional

DCCS2 subassembly OM3 6xMPO aqua

P/N
130D2FBM5A-E
EAN 4250184195511

2018-13-03

Technical Data

Materials and material properties

Material - Assembly housing	sheet steel
Material - Coupler housing	PEI (polyetherimide)
Material - Dust protection	PC (polycarbonate)

Approvals

RoHS	compliant
------	-----------

Classifications

ETIM 5.0	EC002697
ETIM 6.0	EC002699

Packing details

Type of packaging	1 pc(s) / box
Packaging unit - Weight (gram)	208.00 g
Packaging unit - Weight (pound)	0.46 lb
Packaging dimension (W x H x D)	230.00 x 60.00 x 45.00 mm
Packaging dimension (W x H x D)	9.055 x 2.362 x 1.772 in.



Illustrations

Dimensional drawing

