

### P | Cabling

We realize ideas

Page 1/3

P/N 1503500000-F EAN 4251122198816


2018-31-01

# Data sheet OpDAT HPS with lock, unequipped

### Illustrations



#### Dimensional drawing



See enlarged drawings at the end of document

#### **Product specification**

- Unequipped fiber optic splice and distributor housing
- Modular adapter plate with cutouts suitable for: 9x LC-D, 9x SC, 9x E-2000, 6x SC-D, 6x LC-Q, 12x ST, 12x FC
- · Cover locking by locking latch, can be sealed
- · Cover can be very easily removed to facilitate mounting
- · Splice tray for easy mounting with a maximum of protection for the fibers. With place to store fiber excess lengths
- Strain relief for cables and patch cords
- · Patch cord output with flexible lamellar seal
- Cable entry prepared with 2x M20, 2x M25 cable glands
- Possibility to fasten optical adapters
- · Structured ASA (acrylic ester-styrene-acrylonitrile) in RAL 7035, extremely resistant plastic material, impact resistant and weatherproof
- · Protection class according to IEC 60529: IP54 protected
- · Variants: with or without lock





## P Cabling

We realize ideas

## Data sheet OpDAT HPS with lock, unequipped

Page 2/3

P/N 1503500000-F EAN 4251122198816

2018-31-01

	2010 01 0
Technical Data	
General Data	
Design	surface mount
Mounting style	Wandbefestigung
Transmission technology	Fiber optic
Color	light gray
Dimensions	
Dimension (L x W x H)	67.10 x 200.00 x 235.00 mm
Dimension (L x W x H)	2.642 x 7.874 x 9.252 in.
Materials and material properties	
Material - Housing	ASA (Acrylester-Styrol-Acrylnitril)
<b>Environmental conditions</b>	
Particulate ingress	IP5X
Liquid ingress/immersion	IPX4
Certifications	
RoHS	compliant
The product meets the following standards	
Degrees of Protection Provided by Enclosures	IEC 60529
Packing details	
Type of packaging	1 box
Packaging dimension (W x H x D)	265.00 x 215.00 x 80.00 mm
Packaging dimension (W x H x D)	10.433 x 8.465 x 3.15 in.







### We realize ideas

## P | Cabling

**Data sheet** 

### **OpDAT HPS with lock, unequipped**

Page 3/3

P/N 1503500000-F EAN 4251122198816

2018-31-01

### Illustrations

Dimensional drawing

