

## Data sheet

### OpDAT ST-D adapter SM+MM (ceramic, metallike) - 30 pieces

Page 1/4


P/N

150900D1-30


EAN 4251122189517

2018-05-01

## Illustrations



Dimensional drawing



See enlarged drawings at the end of document

## Product specification

- ST duplex adapter made of zinc die-cast
- slotted ceramic guide sleeves for single mode and multimode applications
- high material stability, surface quality and durability
- durability min. 1000 mating cycles
- screws included
- variants: packing units of 1 piece or 30 pieces

## OpDAT ST-D adapter SM+MM (ceramic, metallike) - 30 pieces

P/N

150900D1-30

EAN 4251122189517

2018-05-01

### Technical Data

#### General Data

Fields of application	Structured building cabling, Fiber to the Desk, Data center
Design	Adapter
Transmission technology	Fiber optic
Color	metallike
Dimensions	
Dimension (L x W x H)	29.40 x 35.30 x 9.40 mm
Dimension (L x W x H)	1.157 x 1.39 x 0.37 in.
Mode type of the fiber	Singlemode + Multimode

#### Connections/interfaces

Connector technology interface 1	ST-D
Connector technology interface 2	ST-D
Number of ports interface 1	1
Number of ports interface 2	1
Number of equipped ports interface 1	1
Number of ports interface 2 equipped	1
Number of ports with dust protection interface 1	1
Number of ports with dust protection interface 2	1

#### Mechanical characteristics

Cut-out	SC-D, LC-Q, ST-D
Connector type	Duplex
Mounting method	screwable
Life - Number of mating cycles	min. 1000

#### Materials and material properties

Material - Housing	GD-Zn (zinc die-cast)
Material - Sleeve	ceramic, slotted

#### Approvals

RoHS	compliant
------	-----------



Data sheet

Page 3/4

**OpDAT ST-D adapter SM+MM (ceramic, metallike) - 30 pieces**

P/N

150900D1-30

EAN 4251122189517

2018-05-01

**Technical Data****The product meets the following standards**

Fibre optic connector interfaces	IEC 61754-2
----------------------------------	-------------

**Classifications**

ETIM 5.0	EC000752
----------	----------

ETIM 6.0	EC000752
----------	----------

**Packing details**


Type of packaging	1 pc(s) / plastic bag
-------------------	-----------------------

Packaging dimension (D x W x H)	380.00 x 160.00 x 100.00 mm
---------------------------------	-----------------------------



**Illustrations**

Dimensional drawing



© 2017 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

