

Data sheet

OpDAT ST-D adapter SM+MM (ceramic, metallike)

Page 1/4

P/N

150900D1-I


EAN 4250184167051

2018-05-01

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- ST duplex adapter made of zinc die-cast
- slotted ceramic guide sleeves for single mode and multimode applications
- high material stability, surface quality and durability
- durability min. 1000 mating cycles
- screws included
- variants: packing units of 1 piece or 30 pieces

OpDAT ST-D adapter SM+MM (ceramic, metallike)

P/N
150900D1-I

EAN 4250184167051

2018-05-01

Technical Data

General Data

Fields of application	Structured building cabling, Fiber to the Desk, Data center
Design	Adapter
Transmission technology	Fiber optic
Color	metallike
Dimensions	
Dimension (L x W x H)	29.40 x 35.30 x 9.40 mm
Dimension (L x W x H)	1.157 x 1.39 x 0.37 in.
Mode type of the fiber	Singlemode + Multimode

Connections/interfaces

Connector technology interface 1	ST-D
Connector technology interface 2	ST-D
Number of ports interface 1	1
Number of ports interface 2	1
Number of equipped ports interface 1	1
Number of ports interface 2 equipped	1
Number of ports with dust protection interface 1	1
Number of ports with dust protection interface 2	1

Mechanical characteristics

Cut-out	SC-D, LC-Q, ST-D
Connector type	Duplex
Mounting method	screwable
Life - Number of mating cycles	min. 1000

Materials and material properties

Material - Housing	GD-Zn (zinc die-cast)
Material - Sleeve	ceramic, slotted

Approvals

RoHS	compliant
------	-----------

OpDAT ST-D adapter SM+MM (ceramic, metallike)

P/N

150900D1-I

EAN 4250184167051

2018-05-01

Technical Data**The product meets the following standards**

Fibre optic connector interfaces	IEC 61754-2
----------------------------------	-------------

Classifications

ETIM 5.0	EC000752
----------	----------

ETIM 6.0	EC000752
----------	----------

Packing details

Type of packaging	1 pc(s) / plastic bag
-------------------	-----------------------

Packaging unit - Weight (gram)	26.00 g
--------------------------------	---------

Packaging unit - Weight (pound)	0.06 lb
---------------------------------	---------

Packaging dimension (D x W x H)	380.00 x 160.00 x 100.00 mm
---------------------------------	-----------------------------



Illustrations

Dimensional drawing

